



Power [kW]	Duty Cycle	Base speed [rpm]	Base freq. [Hz]	Base voltage Δ [V]	Absorb. Δ [A]	Base voltage Y [V]	Absorb. Y [A]
3.3	S1	18000	300	220	13.7	380	7.9
Power [kW]	Duty Cycle	Base speed [rpm]	Base freq. [Hz]	Base voltage Δ [V]	Absorb. Δ [A]	Base voltage Y [V]	Absorb. Y [A]
6000		24000	400	IP54	F	COM51600372	
Balancing according to ISO 1940 - G2.5 @ 24000 rpm		Balancing type		tool type full key	tool type half key	Peso / weight 13.20 kg	
rev. n°	description			date	signature	Customer	Drawing code
01	Da DB a 2DB			12/02/2020	D. Bottarel	Catalogo	COM51600372
00	Emissione			11/12/2015	D. Bottarel	Tolleranze non quotate: UNI EN 22768 fH Smussi non quotati: 0.5 mm Rugosità secondo UNI ISO 1302	
drawn - date	approved - date	checked - date	sostituisce il		foglio / sheet	scala	A4
D. Bottarel - 11/12/2015	S. Perli - 11/12/2015	S. Perli - 11/12/2015	sostituito dal		1 / 1	n.d.	

TEKNOMOTOR

Teknomotor S.r.l.
Via Argenege 31, I-32038 Quero Vas (BL)
www.teknomotor.com

Title
5160-A-2DB-P-ER32-SV-HY-RH