

SAFETY DATA SHEET

QH PRESSMAX™ VE 2660

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Germany

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product code : 20703401

Product name : QH PRESSMAX™ VE 2660

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant uses : Forming, Stamping, Neat Metalworking Oil

Uses advised against : Any other purpose.

1.3 Details of the supplier of the safety data sheet

Supplier : Quaker Chemical B.V.

Industrieweg 7, 1422 AH Uithoorn

The Netherlands T:+31 (0) 297 544644

Houghton Deutschland GmbH Giselherstr. 57. D-44319. Dortmund, Deutschland T: +49 (0) 231/9277-0

ProductStewardship-EMEA@quakerhoughton.com

www.quakerhoughton.com

1.4 Emergency telephone number

Telephone number : CHEMTREC Germany: +(49)- 69643508409 or 0800-181-7059

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Asp. Tox. 1, H304

See Section 16 for the full text of the H statements declared above.

2.2 Label elements

Date of issue/Date of revision : 18 May 2021 Version : 1 1/11

QH PRESSMAX™ VE 2660 20703401

SECTION 2: Hazards identification

Hazard pictograms



Signal word : Danger

Hazard statements: H304 - May be fatal if swallowed and enters airways.

Precautionary statements

Prevention : Not applicable.

Response : P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 - Do NOT induce vomiting.

Storage : Not applicable.

Disposal : P501 - Dispose of contents and container in accordance with all local, regional,

national and international regulations.

Hazardous ingredients : Hydrocarbons, C11-C12, isoalkanes, <2% aromatics

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Hydrocarbons, C11-14, isoalkanes, cyclics, <2% aromatics

Supplemental label

elements

: Repeated exposure may cause skin dryness or cracking.

Annex XVII - Restrictions

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

: Not applicable.

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No.

1907/2006, Annex XIII

: This mixture does not contain any substances that are assessed to be a PBT or a

vPvB.

Other hazards which do not result in classification

: None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	EC: 918-167-1 CAS: -	≥50 - ≤75	Asp. Tox. 1, H304 EUH066	[1]
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	REACH #: 01-2119456810-40 EC: 920-901-0 CAS: -	≥10 - ≤25	Asp. Tox. 1, H304	[1]
Hydrocarbons, C11-14, isoalkanes, cyclics, <2% aromatics	REACH #: 01-2119472146-39 EC: 927-285-2 CAS: -	≥10 - ≤25	Asp. Tox. 1, H304 EUH066	[1]
			For full text of H- statements: see SECTION 16	

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

Type

Date of issue/Date of revision : 18 May 2021 Version : 1 2	/1	1	١
--	----	---	---

QH PRESSMAX™ VE 2660 20703401

SECTION 3: Composition/information on ingredients

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

: Get medical attention. If medical advice is needed, have product container or label at hand. Use personal protective equipment as required. Remove contaminated clothing and wash it before reuse. Wash skin surfaces thoroughly after contact.

Inhalation

: Get medical attention immediately. Move affected person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Aspiration hazard if swallowed. Can

enter lungs and cause damage.

Skin contact

: Wash with plenty of soap and water. Remove contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.

Eye contact

: Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do.

Ingestion

: Aspiration hazard if swallowed. Can enter lungs and cause damage. Ingestion may cause gastrointestinal irritation and diarrhea. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation : Not expected under normal use. Skin contact : Defatting to the skin.,dryness,cracking Eye contact : Not expected under normal use.

Ingestion : nausea or vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Specific treatments : No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Use personal protective equipment as required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

: In a fire, hazardous decomposition products may be produced. carbon oxides (CO,

CO₂) nitrogen oxides

: 18 May 2021 Date of issue/Date of revision 3/11 Version :1

QH PRESSMAX™ VE 2660 20703401

SECTION 5: Firefighting measures

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protective equipment (see Section 8). Keep unnecessary personnel away. Avoid breathing vapor or mist. Provide adequate ventilation.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Evacuate area.

6.2 Environmental precautions : Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not allow any potentially contaminated water, including rain water, runoff from fire fighting or spills, to enter any waterway, sewer or drain.

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. For large spills, dike spilled material or otherwise contain it to ensure runoff does not reach a waterway. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Storage temperature

: Store between the following temperatures: 5 to 40°C (41 to 104°F).

 Date of issue/Date of revision
 : 18 May 2021
 Version
 : 1
 4/11

QH PRESSMAX™ VE 2660 20703401

SECTION 7: Handling and storage

7.3 Specific end use(s)

Recommendations

: Observe technical data sheet/instructions for use.

Industrial sector specific

solutions

: Observe technical data sheet/instructions for use.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Engineering controls should be considered as the first line of protection against adverse exposure to harmful substances. Administrative controls and PPE should be used in the absence of engineering controls or as supplemental controls where engineering controls are insufficient in reducing specific exposures to an acceptable level

Individual protection measures

Eye/face protection

 If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields

Skin protection

Hand protection

: The following glove type may be suitable for handling this product Protective gloves

complying with EN374

nitrile rubber Glove Thickness : ≥0.38 mm Break through time : ≥ 480 minutes butyl rubber Glove Thickness : ≥0.64 mm Break through time : ≥ 480 minutes

Date of issue/Date of revision

: 18 May 2021

Version :1

5/11

QH PRESSMAX™ VE 2660 20703401

SECTION 8: Exposure controls/personal protection

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Always ensure that gloves are free from defects and that they are stored and used correctly. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Wear work clothing with long sleeves.

Respiratory protection

: No personal respiratory protective equipment normally required. In case of inadequate ventilation wear respiratory protection. If heated and ventilation is inadequate, use respirator which will protect against organic vapor and dust/mist. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification.

This information is based on the state in which the specific product is delivered and on the intended use specified within this SDS. This information is provided based on literature reference, manufacturer specifications and recommendations and/or derived by analogy with similar substances. The level of protection and types of exposure controls will vary depending on potential exposure conditions.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure regular inspection, cleaning and maintenance of equipment and machines.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Thermal hazards

: Not expected under normal use. Not relevant/applicable due to nature of the product.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid.

Color : Clear., Colorless.

Odor : Mild.

Odor threshold : Not available.
pH : Not available.
Melting point/freezing point : Not available.
Initial boiling point and : Not available.

boiling range

Flash point : Closed cup: 66°C [ASTM D 93]

Evaporation rate : Not available.
Flammability (solid, gas) : Not available.
Upper/lower flammability or explosive limits : Lower: 0.5% Upper: 7%

 Date of issue/Date of revision
 : 18 May 2021
 Version
 : 1
 6/11

QH PRESSMAX™ VE 2660 20703401

Section 9. Physical and chemical properties

Vapor pressure: Not available.Vapor density: Not available.Relative density: 0.765

Solubility(ies) : Insoluble in the following materials: cold water.

Solubility in water : Not available.

Partition coefficient: n-octanol/ : Not available.

water

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Kinematic (40°C (104°F)): 0.013 cm²/s (1.3 cSt)

Explosive properties : Not applicable.

Oxidizing properties : Not applicable.

9.2 Other information

Pour Point : -30 °C

VOC content : 97 % 2010/75/EC

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific measures identified.

10.5 Incompatible materials : Strong oxidizing materials. strong acids. strong alkalis

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

<u>Acute toxicity</u> : Based on available data, the classification criteria are not met.

Numerical measures of toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	1-
Hydrocarbons, C11-14, isoalkanes, cyclics, <2% aromatics	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Irritation/Corrosion: Based on available data, the classification criteria are not met.Sensitization: Based on available data, the classification criteria are not met.

 Date of issue/Date of revision
 : 18 May 2021
 Version
 : 1
 7/11

QH PRESSMAX™ VE 2660 20703401

SECTION 11: Toxicological information

 Mutagenicity
 : Based on available data, the classification criteria are not met.

 Carcinogenicity
 : Based on available data, the classification criteria are not met.

 Reproductive toxicity
 : Based on available data, the classification criteria are not met.

Specific target organ toxicity (single: Based on available data, the classification criteria are not met.

exposure)

Specific target organ toxicity (repeated: Based on available data, the classification criteria are not met.

exposure)

Aspiration hazard : Aspiration hazard if swallowed. Can enter lungs and cause damage.

Product/ingredient name	Result
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Hydrocarbons, C11-14, isoalkanes, cyclics, <2% aromatics	ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1

Other information : None identified.

Information on the likely routes of exposure

Inhalation : Aspiration hazard if swallowed. Can enter lungs and cause damage.

Skin contact: Defatting to the skin. May cause skin dryness and irritation.

Eye contact: No known significant effects or critical hazards.

Ingestion: Aspiration hazard if swallowed. Can enter lungs and cause damage.

Symptoms related to the physical, chemical and toxicological characteristics

 Inhalation
 : Not expected under normal use.

 Skin contact
 : Defatting to the skin.,dryness,cracking

 Eye contact
 : Not expected under normal use.

Ingestion : nausea or vomiting

Delayed and immediate effects and also chronic effects from short and long term exposure

None identified.

SECTION 12: Ecological information

12.1 Toxicity

No known significant effects or critical hazards.

Product/ingredient name	Result	Species	Exposure
Hydrocarbons, C11-C12, isoalkanes, <2% aromatics	Acute EC50 >1000 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
99	Acute EC50 >1000 mg/l	Daphnia - Daphnia magna	48 hours
	Acute LC50 >1000 mg/l	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 1000 mg/l	Algae	-
	Chronic NOEC 1 mg/l	Daphnia	-
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Acute EC50 >1000 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute LC50 >1000 mg/l	Fish - Oncorhynchus mykiss	96 hours
	Chronic EC50 1 mg/l	Daphnia	48 hours
	Chronic NOEC 1000 mg/l	Algae	-
Hydrocarbons, C11-14, isoalkanes, cyclics, <2% aromatics	Acute LC50 >1000 mg/l	Fish - Oncorhynchus mykiss	96 hours
\$55,000 de decembro \$5,000 de decembro \$100 de decembro \$	Chronic EC50 1000 mg/l	Algae	72 hours
	Chronic EC50 1 mg/l	Daphnia	48 hours

Date of issue/Date of revision	: 18 May 2021	Ve	rsion	: 1	8/11	

QH PRESSMAX™ VE 2660 20703401

SECTION 12: Ecological information

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal methods

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Empty containers or liners may retain some product residues. Empty containers retain product residue and can be hazardous. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

SECTION 14: Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.

Additional information

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision : 18 May 2021 Version :1 9/11

QH PRESSMAX™ VE 2660 20703401

SECTION 14: Transport information

14.7 Transport in bulk according to IMO

: Not available.

according to I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Substances of very high concern

This product does not contain candidate substances of very high concern at a concentration => 0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Other EU regulations

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Storage class (TRGS 510) : 10 <u>Hazardous incident ordinance</u>

This product is not controlled under the Germany Hazardous Incident Ordinance.

Hazard class for water : 1

International regulations

Montreal Protocol

None of the components are listed.

Stockholm Convention on Persistent Organic Pollutants

None of the components are listed.

Rotterdam Convention on Prior Informed Consent (PIC)

None of the components are listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

None of the components are listed.

15.2 Chemical Safety Assessment : A chemical safety assessment according to regulation (EC) No. 1907/2006 is not required

 Date of issue/Date of revision
 : 18 May 2021
 Version
 : 1
 10/11

QH PRESSMAX™ VE 2660 20703401

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

N/A = Not available

PBT = Persistent, Bioaccumulative and Toxic
vPvB = Very Persistent and Very Bioaccumulative
PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number SGG = Segregation Group

Key literature references and sources for data

: CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulation [Regulation (EC) No. 1907/2006]

Commission Regulation (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road

Safety data sheets of raw materials, global regulatory body information, scientific

literature, and testing data.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Calculation method

Full text of classifications [CLP/GHS]

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
Asp. Tox. 1	ASPIRATION HAZARD - Category 1

Training advice

 Users of this product should be provided the information in this safety data sheet, including possible hazards, safe handling, and proper use of chemical products.

Version : 1

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is correct to the best of our knowledge, information and belief at the date of its publication. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

Date of issue/Date of revision : 18 May 2021 Version : 1 11/11